

DYSTRYBUTOR



TECHNICAL

GRZEGORZ TĘGOS

TECHNIKA NAPĘDU I TRANSMISJI MOCY

62-600 Koło, ul. Toruńska 212
tel. 0-63/ 27 25 478 / fax. 0-63/ 26 16 258

www.technical.pl
biuro@technical.pl

Sklep internetowy
www.sklep.technical.pl

PASY KLINOWE

XPZ , XPA , XPB , XPC



Antriebsselemente



Keilriemen



Sortimentslisten
und
Leistungsdaten



SIT Antriebselemente GmbH

Rieseler Feld 9
33034 Brakel / Westf.

Telefon 052 72 / 39 28 - 0
Telefax 052 72 / 39 28 - 90
E-mail: info@sit-antriebselemente.de
www.sit-antriebselemente.de



SIT TF Keilriemen - Sortimentsliste

Torque Flex Keilriemen nach DIN 7753/1 ISO 4184

Profil XPZ				Profil XPA				Profil XPB		Profil XPC
Wirklänge	Wirklänge	Wirklänge	Wirklänge	Wirklänge	Wirklänge	Wirklänge	Wirklänge	Wirklänge	Wirklänge	
512	925	1287	1800	732	1232	1700	2732	1250	2240	2000
562	937	1312	1850	757	1250	1732	2782	1260	2280	2120
587	950	1320	1900	775	1257	1750	2800	1270	2300	2240
600	957	1337	1950	782	1272	1782	2832	1280	2360	2360
612	962	1362	1987	800	1282	1800	2882	1320	2410	2500
620	987	1387	2000	807	1300	1832	2932	1340	2430	2650
630	1000	1400	2037	832	1307	1850	3000	1400	2500	2800
637	1012	1412	2060	850	1320	1882	3150	1410	2530	3000
646	1024	1420	2120	857	1332	1900	3350	1450	2580	3150
662	1037	1437	2160	882	1357	1957	3550	1465	2650	3350
670	1047	1462	2240	900	1367	1982	3750	1500	2680	3550
687	1060	1470	2287	907	1382	2000		1510	2700	3750
700	1077	1487	2360	925	1400	2032		1525	2800	4000
710	1080	1500	2410	932	1415	2057		1590	2840	4250
722	1087	1512	2500	940	1420	2120		1600	2900	4500
737	1112	1520	2540	950	1432	2160		1650	2990	4750
750	1120	1537	2580	957	1450	2182		1690	3000	5000
762	1137	1550	2650	982	1457	2240		1700	3150	
772	1140	1560	2690	1000	1482	2282		1720	3350	
787	1150	1562	2800	1007	1490	2300		1750	3550	
800	1162	1587	2840	1032	1500	2360		1800	3750	
812	1180	1600	2900	1060	1532	2432		1850	4000	
825	1187	1612	3000	1082	1550	2482		1900	4250	
837	1200	1637	3150	1107	1557	2500		1950	4500	
850	1202	1650	3350	1120	1582	2532		2000	4750	
862	1212	1687	3550	1132	1600	2582		2020	5000	
875	1237	1700		1150	1607	2607		2060		
887	1250	1737		1180	1632	2632		2120		
900	1262	1750		1200	1650	2650		2150		
912	1270	1762		1207	1682	2682		2180		

Weitere Abmessungen sind auf Anfrage lieferbar.